April 2011/ Vol. 93, pp 735-742

## Study on the structure and gasification characteristics of selected South African bituminous coals in fluidised bed gasification

B.O. Oboirien a,b,\*, A.D. Engelbrecht b, B.C. North b, Vivien M. du Cann c, S Verryn d, R. Falcon a

a Coal and Carbon Research Group, School of Chemical and Metallurgical Engineering, University of the Witwatersrand, Private Mail Bag 3, Wits 2050, South Africa

b CSIR Materials Science and Manufacturing, PO Box, 395, Pretoria 0001, South Africa

c Petrographics SA Suite 155, Private Bag X025, Lynwood Ridge 0040, South Africa

d XRD Analytical and Consulting ,75 Kafue Street Lynnwood Glen, 0081 South Africa

\*E-mail address: <a href="mailto:boboirien@csir.co.za">boboirien@csir.co.za</a>

## **Abstract**

The gasification characteristics of three South African bituminous coals were investigated in a bubbling fluidised bed reactor. The three coals are similar in rank, but two are inertinite-rich coals and the third has a high vitrinite content. The microstructural characteristics of the parent coals and their resultant chars were determined using XRD, FT-IR, Raman and petrographic analysis. The microstructural changes that occurred in the organic (maceral) and the inorganic (mineral) fractions of the selected coals were evaluated. The change in the carbon structure was correlated to the proportions of inertinite and vitrinite macerals in the coals. High vitrinite content resulted in an increase in the order of the disordered carbon structure after gasification and this leads to greater graphitised ordered carbon structures. While a high inertinite content resulted in low or no structural transformation of the chemical structure. The transformation of inorganic mineral constituents of the coal was correlated to the amount of inertinite present in the selected coals. Higher proportions of inertinite macerals and inertinitic chars resulted in higher proportion of melted minerals. Char samples with low proportions of organic matter resulted in higher proportion of melted minerals covering the char surface.