Australasian Computer Science Week, Sydney, NSW, Australia, 27 - 30 January 2015

Temporal Attributes: Status and Subsumption

C. Maria Keet¹ E.A. Nasubo Ongoma²

¹Department of Computer Science, University of Cape Town, Cape Town 7701, South Africa, Email: <u>mkeet@cs.uct.ac.za</u>

² UKZN/CSIR-Meraka Centre for Arti_cial Intelligence Research, School of Mathematics, Statistics, and Computer Science, University of KwaZulu-Natal, Durban 4000, South Africa, Email: <u>212562258@stu.ukzn.ac.za</u>

Abstract

Representing data that changes over time in conceptual data models is required by various application domains, and requires a language that is expressive enough to fully capture the operational semantics of the time-varying information. Temporal modelling languages typically focus on representing and reasoning over temporal classes and relationships, but have scant support for temporal attributes, if at all. This prevents one to fully utilise a temporal conceptual data model, which, however, is needed to model not only evolving objects (e.g., an employee's role), but also its attributes, such as changes in salary and bonus payouts. To characterise temporal attributes precisely, we use the DLRUS Description Logic language to provide its model-theoretic semantics, therewith essentially completing the temporal ER language ERVT. The new notion of status attribute is introduced to capture the possible changes, which results in several logical implications they entail, including their interaction with temporal classes to ensure correct behaviour in subsumption hierarchies, paving the way to verify automatically whether a temporal conceptual data model is consistent.